



ISIS3292.ST25.txt  
SEQUENCE LISTING

<110> Nielsen, Peter E.

<120> Peptide Nucleic Acids Having Antibacterial Activity

<130> ISIS-3292

<140> 09/486,623

<141> 2000-07-06

<150> 08/932,140

<151> 1997-09-16

<160> 30

<170> PatentIn version 3.2

<210> 1

<211> 14

<212> DNA

<213> Artificial Sequence

<220>

<223> Synthetic construct

<400> 1

tgaccatgat tacg

14

<210> 2

<211> 17

<212> DNA

<213> Artificial Sequence

<220>

<223> Synthetic construct

<400> 2

tacgtgtttc ctgtgtg

17

<210> 3

<211> 17

<212> DNA

<213> Artificial Sequence

<220>

<223> Synthetic construct

<400> 3

gagtattcaa catttcc

17

<210> 4

<211> 17

<212> DNA

<213> Artificial Sequence

<220>

<223> Synthetic construct

<400> 4

attgtcttcc tttttca

17

<210> 5

<211> 15

<212> DNA

<213> Artificial Sequence

ISIS3292.ST25.txt

<220>  
<223> Synthetic construct

<220>  
<221> misc\_feature  
<222> (1)..(14)  
<223> N-[acetyl(2-aminoethyl)] glycine

<220>  
<221> misc\_feature  
<222> (15)..(15)  
<223> N-[acetyl(2-aminoethyl)]-C-lysine-glycine

<400> 5  
ggtcatacgct gtttc

15

<210> 6  
<211> 15  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Synthetic construct

<220>  
<221> misc\_feature  
<222> (1)..(14)  
<223> N-acetyl (2-aminoethyl) glycine

<220>  
<221> misc\_feature  
<222> (15)..(15)  
<223> N-[acetyl(2-aminoethyl)]-C-lysine-glycine

<400> 6  
tactcatact cttcc

15

<210> 7  
<211> 15  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Synthetic construct

<220>  
<221> misc\_feature  
<222> (1)..(14)  
<223> N-acetyl (2-aminoethyl) glycine

<220>  
<221> misc\_feature  
<222> (15)..(15)  
<223> N-[acetyl(2-aminoethyl)]-C-lysine-glycine

<400> 7  
gaatactcat actct

15

<210> 8  
<211> 15  
<212> DNA  
<213> Artificial Sequence

ISIS3292.ST25.txt

<220>  
<223> Synthetic construct

<220>  
<221> misc\_feature  
<222> (1)..(14)  
<223> N-acetyl (2-aminoethyl) glycine

<220>  
<221> misc\_feature  
<222> (15)..(15)  
<223> N-[acetyl(2-aminoethyl)]-C-lysine-glycine

<400> 8  
acgccacatc ttgcgc

15

<210> 9  
<211> 15  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Synthetic construct

<220>  
<221> misc\_feature  
<222> (1)..(1)  
<223> N-acetyl (2-aminoethyl) glycine

<220>  
<221> misc\_feature  
<222> (2)..(4)  
<223> N-pseudo isocytosine-acetyl (2-aminoethyl) glycine

<220>  
<221> misc\_feature  
<222> (5)..(6)  
<223> N-acetyl (2-aminoethyl) glycine

<220>  
<221> misc\_feature  
<222> (7)..(7)  
<223> N-pseudo isocytosine-acetyl (2-aminoethyl) glycine

<220>  
<221> misc\_feature  
<222> (8)..(8)  
<223> (O-2-aminoethyl-O'acetyl-ethyleneglycol)

<220>  
<221> misc\_feature  
<222> (9)..(14)  
<223> N-acetyl (2-aminoethyl) glycine

<220>  
<221> misc\_feature  
<222> (15)..(15)  
<223> N-[acetyl (2-aminoethyl)] -C-lysine-glycine

<400> 9  
tnnnntnnct tccct

15

<210> 10  
<211> 15  
<212> DNA  
<213> Artificial Sequence

ISIS3292.ST25.txt

<220>  
<223> Synthetic construct

<220>  
<221> misc\_feature  
<222> (1)..(1)  
<223> N-pseudo isocytosine-acetyl (2-aminoethyl) glycine

<220>  
<221> misc\_feature  
<222> (2)..(4)  
<223> N-acetyl (2-aminoethyl) glycine

<220>  
<221> misc\_feature  
<222> (5)..(6)  
<223> N-pseudo isocytosine-acetyl (2-aminoethyl) glycine

<220>  
<221> misc\_feature  
<222> (7)..(7)  
<223> N-acetyl (2-aminoethyl) glycine

<220>  
<221> misc\_feature  
<222> (8)..(8)  
<223> (O-2-aminoethyl-O'acetyl-ethyleneglycol)

<220>  
<221> misc\_feature  
<222> (9)..(14)  
<223> N-acetyl (2-aminoethyl) glycine

<400> 10  
nttnnntntc ctttc 15

<210> 11  
<211> 15  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Synthetic construct

<220>  
<221> misc\_feature  
<222> (1)..(14)  
<223> N-acetyl (2-aminoethyl) glycine

<220>  
<221> misc\_feature  
<222> (15)..(15)  
<223> N-[acetyl (2-aminoethyl)]-C-lysine-glycine

<400> 11  
catactcttt ctccct 15

<210> 12  
<211> 25  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Synthetic construct

```

<220>
<221> misc_feature
<222> (1)..(2)
<223> N-acetyl (2-aminoethyl) glycine

<220>
<221> misc_feature
<222> (3)..(3)
<223> N-pseudo isocytosine-acetyl (2-aminoethyl) glycine

<220>
<221> misc_feature
<222> (4)..(4)
<223> N-acetyl (2-aminoethyl) glycine

<220>
<221> misc_feature
<222> (5)..(7)
<223> N-pseudo isocytosine-acetyl (2-aminoethyl) glycine

<220>
<221> misc_feature
<222> (8)..(10)
<223> N-acetyl (2-aminoethyl) glycine

<220>
<221> misc_feature
<222> (11)..(11)
<223> N-pseudo isocytosine-acetyl (2-aminoethyl) glycine

<220>
<221> misc_feature
<222> (12)..(12)
<223> (O-2-aminoethyl-O'-acetyl-ethyleneglycol)

<220>
<221> misc_feature
<222> (13)..(24)
<223> N-acetyl (2-aminoethyl) glycine

<220>
<221> misc_feature
<222> (25)..(25)
<223> N- [acetyl (2-aminoethyl)]-C-lysine-glycine

<400> 12
ttntnnnttt ntntcttcc gtctt

```

25

```

<210> 13
<211> 15
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthetic construct

<220>
<221> misc_feature
<222> (1)..(1)
<223> N-pseudo isocytosine-acetyl (2-aminoethyl) glycine

<220>
<221> misc_feature
<222> (2)..(2)
<223> N-acetyl (2-aminoethyl) glycine

<220>

```

ISIS3292.ST25.txt

<221> misc\_feature  
<222> (3)..(3)  
<223> N-pseudo isocytosine-acetyl (2-aminoethyl) glycine  
  
<220>  
<221> misc\_feature  
<222> (4)..(4)  
<223> N-acetyl (2-aminoethyl) glycine  
  
<220>  
<221> misc\_feature  
<222> (5)..(6)  
<223> N-pseudo isocytosine-acetyl (2-aminoethyl) glycine  
  
<220>  
<221> misc\_feature  
<222> (7)..(7)  
<223> N-acetyl (2-aminoethyl) glycine  
  
<220>  
<221> misc\_feature  
<222> (8)..(8)  
<223> (O-2-aminioethyl-O'-acetyl-ethyleneglycol)  
  
<220>  
<221> misc\_feature  
<222> (9)..(14)  
<223> N-acetyl (2-aminoethyl) glycine  
  
<220>  
<221> misc\_feature  
<222> (15)..(15)  
<223> N-[acetyl (2-aminoethyl)]-C-lysine-glysine

<400> 13  
ntntnntntc ctctc

15

<210> 14  
<211> 12  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Synthetic construct

<220>  
<221> misc\_feature  
<222> (1)..(11)  
<223> N-acetyl (2-aminoethyl) glycine

<220>  
<221> misc\_feature  
<222> (12)..(12)  
<223> N-[acetyl (2-aminioethyl)]-C-lysine-glysine

<400> 14  
ccccctattgt cc

12

<210> 15  
<211> 12  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Synthetic construct

ISIS3292.ST25.txt

<220>  
<221> misc\_feature  
<222> (1)..(11)  
<223> N-acetyl (2-aminoethyl) glycine

<220>  
<221> misc\_feature  
<222> (12)..(12)  
<223> N- [acetyl (2-aminoethyl)]-C-lysine-glycine

<400> 15  
ttctgccttt ct

12

<210> 16  
<211> 8  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Synthetic construct

<220>  
<221> misc\_feature  
<222> (1)..(7)  
<223> N-acetyl (2-aminoethyl) glycine

<220>  
<221> misc\_feature  
<222> (8)..(8)  
<223> N- [acetyl (2-aminoethyl)]-C-lysine-glycine

<400> 16  
ctcgagg

8

<210> 17  
<211> 5  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Synthetic construct

<220>  
<221> misc\_feature  
<222> (1)..(4)  
<223> N-acetyl (2-aminoethyl) glycine

<220>  
<221> misc\_feature  
<222> (5)..(5)  
<223> N- [acetyl (2-aminoethyl)]-C-lysine-glycine

<400> 17  
taaac

5

<210> 18  
<211> 10  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Synthetic construct

<220>

## ISIS3292.ST25.txt

```

<221> misc_feature
<222> (1)..(9)
<223> N-acetyl (2-aminoethyl) glycine

<220>
<221> misc_feature
<222> (10)..(10)
<223> N-[acetyl (2-aminoethyl)]-C-lysine-glycine

<400> 18
aaggaggtga

<210> 19
<211> 15
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthetic construct

<220>
<221> misc_feature
<222> (1)..(7)
<223> N-acetyl (2-aminoethyl) glycine

<220>
<221> misc_feature
<222> (8)..(8)
<223> (O-2-aminoethyl-O'-acetyl-ethyleneglycol)

<220>
<221> misc_feature
<222> (9)..(14)
<223> N-acetyl (2-aminoethyl) glycine

<220>
<221> misc_feature
<222> (15)..(15)
<223> N-[acetyl (2-aminoethyl)]-C-lysine-glycine

<400> 19
tctcttntt tctct

```

15

```

<210> 20
<211> 15
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthetic construct

<220>
<221> misc_feature
<222> (1)..(1)
<223> N-acetyl (2-aminoethyl) glycine

<220>
<221> misc_feature
<222> (2)..(2)
<223> N-pseudo isocytosine-acetyl (2-aminoethyl) glycine

<220>
<221> misc_feature
<222> (3)..(3)
<223> N-acetyl (2-aminoethyl) glycine

```

ISIS3292.ST25.txt

<220>  
<221> misc\_feature  
<222> (4)..(7)  
<223> N-acetyl (2-aminoethyl) glycine

<220>  
<221> misc\_feature  
<222> (8)..(8)  
<223> (O-2-aminoethyl-O'-acetyl-ethyleneglycol)

<220>  
<221> misc\_feature  
<222> (9)..(14)  
<223> N-acetyl (2-aminoethyl) glycine

<220>  
<221> misc\_feature  
<222> (15)..(15)  
<223> N-[acetyl (2-aminoethyl)]-C-lysine-glycine

<400> 20  
tntntttntt tctct 15

<210> 21  
<211> 15  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Synthetic construct

<220>  
<221> misc\_feature  
<222> (1)..(14)  
<223> N-acetyl (2-aminoethyl) glycine

<220>  
<221> misc\_feature  
<222> (15)..(15)  
<223> N-[acetyl (2-aminoethyl)]-C-lysine-glycine

<400> 21  
agggtcagc gaacg 15

<210> 22  
<211> 15  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Synthetic construct

<220>  
<221> misc\_feature  
<222> (1)..(14)  
<223> N-acetyl (2-aminoethyl) glycine

<220>  
<221> misc\_feature  
<222> (15)..(15)  
<223> N-[acetyl (2-aminoethyl)]-C-lysine-glycine

<400> 22  
cttgcgtat actgg 15

ISIS3292.ST25.txt

<210> 23  
<211> 14  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Synthetic construct

<220>  
<221> misc\_feature  
<222> (1)..(14)  
<223> N-acetyl (2-aminoethyl) glycine

<400> 23  
gtcatagctg ttcc

14

<210> 24  
<211> 11  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Synthetic construct

<220>  
<221> misc\_feature  
<222> (1)..(11)  
<223> N-acetyl (2-aminoethyl) glycine

<400> 24  
catagctgtt c

11

<210> 25  
<211> 10  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Synthetic construct

<220>  
<221> misc\_feature  
<222> (1)..(10)  
<223> N-acetyl (2-aminoethyl) glycine

<400> 25  
tagctgttcc

10

<210> 26  
<211> 8  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Synthetic construct

<220>  
<221> misc\_feature  
<222> (1)..(8)  
<223> N-acetyl (2-aminoethyl) glycine

<400> 26  
gctgtttc

8

<210> 27	
<211> 15	
<212> DNA	
<213> Artificial Sequence	
<220>	
<223> Synthetic construct	
<220>	
<221> misc_feature	
<222> (1)..(14)	
<223> N-acetyl (2-aminoethyl) glycine	
<220>	
<221> misc_feature	
<222> (15)..(15)	
<223> N-[acetyl (2-aminoethyl)]-C-lysine-glycine	
<400> 27	
acattcacca ccctg	15
<210> 28	
<211> 27	
<212> RNA	
<213> Artificial Sequence	
<220>	
<223> Synthetic construct	
<400> 28	
aaaggaaagag uaugaguauu caacauu	27
<210> 29	
<211> 27	
<212> RNA	
<213> Artificial Sequence	
<220>	
<223> Synthetic construct	
<400> 29	
aaaggaaagac aaugaguauu caacauu	27
<210> 30	
<211> 27	
<212> RNA	
<213> Artificial Sequence	
<220>	
<223> Synthetic construct	
<400> 30	
aaaggaggcc uaugucgauu caacauu	27